

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/229278/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

То

M/s.Onyx Promotors LLP, S. No. 63/1/1,63/2(Part) Kharadi, Tal. Haveli, Dist. Pune.

> Subject : Environment Clearance for Proposed Expansion with Amendment Project Resi-dential & Commercial Construction project GAGAN AVENCIA at S. No. 63/1/1,63/2(Part) Kharadi, Tal. Haveli, Dist. Pune by M/s.Onyx Promotors LLP

Reference : Application no. SIA/MH/MIS/229278/2021

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 130th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 248th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

	Brief Information				

1.	Proposal Number	SIA/MH/MIS/229278/2021				
2.	Name of Project	Proposed Expansion Project Residential & Commercial "GAGAN AVENCIA" S No. 63/1/1,63/2(Part), Kharadi, Tal. Haveli, Dist. Pune Maharashtra by OnyxPromoters LLP.				
3.	Project category	8(a)B2				
4.	Type of Institution	Private				
		Name	Mr. Rahul Sureshchand Garg			
5.	Project Proponent	Regd.Officead dress Contact number	Address:FloorNo-3,301,Marvel Alaina, Lane No. 5,KoregaonPark,Pune,Maharashtra - 411001+91+919823385544			
		e-mail	pritamoswal85@gmail.com			
6.	Consultant	M/s. Mahabal Enviro Engineers Pvt.Ltd.Mrs. Pradnya Niphade Address: Plot No. F-7, Road No. 21, Wagle Estate Thane-400604, MaharashtraEmail id :				
L	<u> </u>	thane@mahaba	<u>l.com</u>			

7.	I	·		Tel: 022-258	523154/ 0658/	1663	
/.	Applied for		* .	Brown Field P	roject		
				We have rec	ceived EC File	e No ·	ECSEIAA
8.	Details of pre	evious EC		Maharashtra	having file	number	
.	D'Unito de F	11045 222			5 dated 15th Jur		
<u> </u>					63/2(part),Khara		
9.	Location of	the project			st. Pune, Mahar		
10.	Latitude and			Latitude - 18°			
	Lattream	1 DONDIGUE		Longitude - 73			
11.	Total Plot A	.rea(m2)	And all the	14024.87		····	
12.	Deductions((m2)	an a	3015.48			
13.	Net Plot are	a(m2)	gallin i	11009.39			· · · ·
14.	Proposed FS	SI area(m2)) <u> </u>	51223.79			(%
15.	Proposed no area(m2)	m-FSI		27594.38			
16.	Proposed TI	BUA(m2)		78818.17			
	TBUA(m2) a	approved b	v	78818.17			
7.	Planning Aut						
8.	Ground cove			24%			
9.	Total Project	Cost (Rs.)		Rs.148 Cr.			
-	CER as per		<u> </u>	Activity	Location	Cost(R	
20	MoEF&CC c		<u>) (nice</u> R Refer	Details attache			ion
20.	dated01/05/2	difference in the second s		Details attache	a		
. .				ion: Please use	following	<u>19 10 10 10 10 10 10 10 10 10 10 10 10 10 </u>	
	Detans or D						D
		or=F Parki	na=Pk			現代日本神学 しゅうし	Reason tor
	legends:Floo						Reason for Modifica
	legends:Floo Ground=LG	G,Upper Gro		G,Basement=B			Modifica
	legends:Floo Ground=LG Shops=Sh>	d,Upper Gro		G,Basement=B	•		Modifica tion/
	legends:Floo Ground=LG Shops=Sh> Previous EQ	3,Upper Gro C/Existing		G,Basement=B			Modifica
	legends:Floo Ground=LG Shops=Sh> Previous E0 Bu	d,Upper Gro C/Existing ilding	ound=U	G,Basement=B	, ed Configuratic		Modifica tion/ Change
	legends:Floo Ground=LG Shops=Sh> Previous EQ	d,Upper Gro C/Existing ilding config	ound=U	G,Basement=B	, ed Configuratic	Height	Modifica tion/
	legends:Floa Ground=LG Shops=Sh> Previous Ed Building name	d,Upper Gro C/Existing ilding	ound=U	G,Basement=B	, ed Configuratic		Modifica tion/ Change N
	legends:Floo Ground=LG Shops=Sh> Previous E0 Building name Wing A&B	d,Upper Gro C/Existing ilding config	ound=U(G,Basement=B	, ed Configuratic	Height	Modifica tion/ Change N
	legends:Floo Ground=LG Shops=Sh> Previous E(Building name Wing A&B (Residential)	d,Upper Gro C/Existing ilding config uration 3B+G+	beight	G,Basement=B Propose Building Name Wing A& B	, ed Configuratic Configuration 3B+G+18th	Height (m)	Modifica tion/ Change N
	legends:Floo Ground=LG Shops=Sh> Previous E0 Building name Wing A&B	d,Upper Gro C/Existing ilding config uration	height	G,Basement=B Propose Building Name Wing A& B (Residential) In	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent ho	Height	Modifica tion/ Change N
	legends:Floo Ground=LG Shops=Sh> Previous Ed Building name Wing A&B (Residential) In process	d,Upper Gro C/Existing ilding config uration 3B+G+	height	G,Basement=B Propose Building Name Wing A& B (Residential) In process	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent house) Floors	Height (m)	Modifica tion/ Change N
	legends:Floo Ground=LG Shops=Sh> Previous E0 Building name Wing A&B (Residential) In process	d,Upper Gro C/Existing ilding config uration 3B+G+ 16	height	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent house) Floors 2B+ G +18th	Height (m) 56.30 m	Modifica tion/ Change N
	legends:Floo Ground=LG Shops=Sh> Previous E4 Building name Wing A&B (Residential) In process Wing C (Residential)	Grand C/Existing ilding config uration 3B+G+ 16 2B+G+	bund=U(G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent ho use) Floors 2B+ G +18th (17thpenthou	Height (m)	Modifica tion/ Change N
21	legends:Floo Ground=LG Shops=Sh> Previous Ed Building name Wing A&B (Residential) In process Wing C (Residential) In process	d,Upper Gro C/Existing ilding config uration 3B+G+ 16	height	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent house) Floors 2B+ G +18th (17thpenthouse) Floors	Height (m) 56.30 m	Modifica tion/ Change N
21.	legends:Floo Ground=LG Shops=Sh> Previous Ed Building name Wing A&B (Residential) In process Wing C (Residential) In process Wing D	ilding config uration 3B+G+ 16 2B+G+ 16	beight 49.70 m 49.70 m	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process Wing D	, configuration <u>3B+G+18th</u> (17 th pent ho use) Floors 2B+ G +18th (17thpenthou se) Floors 2B+ G +18th	Height (m) 56.30 m 56.30 m	Modifica tion/ Change N
21.	legends:Floo Ground=LG Shops=Sh> Previous E4 Building name Wing A&B (Residential) In process Wing C (Residential) In process Wing D (Residential)	Graphic C/Existing ilding config uration 3B+G+ 16 2B+G+ 16 2B+G+ 2B+G+	beight 49.70 m 49.70 m 49.70	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process Wing D (Residential)	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent ho use) Floors 2B+G+18th (17thpenthou se) Floors 2B+G+18th (17thpenthou	Height (m) 56.30 m	Modifica tion/ Change N
21.	legends:Floo Ground=LG Shops=Sh> Previous Ed Building name Wing A&B (Residential) In process Wing C (Residential) In process Wing D	ilding config uration 3B+G+ 16 2B+G+ 16	beight 49.70 m 49.70 m 49.70	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process Wing D	, configuration <u>3B+G+18th</u> (17 th pent ho use) Floors 2B+ G +18th (17thpenthou se) Floors 2B+ G +18th	Height (m) 56.30 m 56.30 m	Modifica tion/ Change N
21.	legends:Floo Ground=LG Shops=Sh> Previous Ed Building name Wing A&B (Residential) In process Wing C (Residential) In process Wing D (Residential) In process E	Graphic C/Existing ilding config uration 3B+G+ 16 2B+G+ 16 2B+G+ 2B+G+	beight 49.70 m 49.70 m 49.70	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process Wing D (Residential) In process E	, configuration <u>3B+G+18th</u> (17 th pent ho use) Floors 2B+ G +18th (17thpenthou se) Floors 2B+ G +18th (17thpenthou se) Floors	Height (m) 56.30 m 56.30 m	Modifica tion/ Change N
21.	legends:Floo Ground=LG Shops=Sh> Previous E4 Building name Wing A&B (Residential) In process Wing C (Residential) In process Wing D (Residential) In process E (Residential)	Graphic C/Existing ilding config uration 3B+G+ 16 2B+G+ 16 2B+G+ 2B+G+	beight 49.70 m 49.70 m 49.70	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process Wing D (Residential) In process E (Residential)	, ed Configuration Configuration <u>3B+G+18th</u> (17 th pent house) Floors 2B+G+18th (17thpenthouse) Floors 2B+G+18th (17thpenthouse) Floors 3B+G	Height (m) 56.30 m 56.30 m	Modifica tion/ Change N
21.	legends:Floo Ground=LG Shops=Sh> Previous Ed Building name Wing A&B (Residential) In process Wing C (Residential) In process Wing D (Residential) In process E	Graphic C/Existing ilding config uration 3B+G+ 16 2B+G+ 16 2B+G+ 2B+G+	beight 49.70 m 49.70 m 49.70	G,Basement=B Propose Building Name Wing A& B (Residential) In process Wing C (Residential)In process Wing D (Residential) In process E	, configuration <u>3B+G+18th</u> (17 th pent ho use) Floors 2B+ G +18th (17thpenthou se) Floors 2B+ G +18th (17thpenthou se) Floors	Height (m) 56.30 m 56.30 m	Modifica tion/ Change N

EC Identification No. - EC22B038MH173096 File No. - SIA/MH/MIS/229278/2021 Date of Issue EC - 30/08/2022

1	F	1	· · · ·	Ehu	:1.d:		1		
	F building (Residential)				ilding lential)		67.9 m		
				· ·	,	3B +G	07.9 n	1	
				(Prop	osed)	+22nd			
	(Proposed					Floors			
	Commercial				.,	3B +G			
	+MHADA/			1	nercial	+Mezz			
	LIG	3B+G+			ADA/L	+14th Floors			
	building	Mez	49.10	IG		(MHADA/LI	177.111		
	(Residental	+ 14	m	buildi	÷ 1	G			
	& Commer				dential &	on 8th to			
	cial)	and the second sec			nercial)	14th floor)			
	In process			In pro		a an an			
					Tenemen				
						+ Proposed) - I			
22.	Total numbe	er of teneme	ents			cial - 7 Showrod			
						of ResidentsExi	sting &	Proposed	
					Residenti	al:-2500Nos.			
	الله . منابع . 1 منابع . 1 منابع .				Commerc	cial:- 696 Nos.	Fotal-3	3196Nos.	
			Dry	Seaso	n(CMD)		Wet Season(CMD)		
			Fresh		278.81	Fresh Water	r l	278.81	
		한 김왕은 것은 동작되었다. 가 김 모아 아파 김 영화	Water						
			Recycled		132.36	Recycled		132.36	
			Flushing						
			Swimming		6.525	Swimming	Pool	6.525	
23.	Water Budge	<u>_</u>	Pool			B			
23.	water Duuge		Club House		0.0	Club House	Club House		
÷.,			Flushing		0.0	Flushing	Flushing		
			Gardening		9.0	Gardening		0.0	
			Total		420.20	Total		411.17	
			Wastewater		339		ĝe de		
			1		CMD	김 옷은 것 못했는	а 1.		
	Water S	Storage	Reside	ential C	ommercia	1			
24.	Capacity for		Dome	stic U	G tank Ca	pacity: 127 CN	AD Flu	shing UG tank	
	refighting/UC	GT	Capac	ity: 142	2 CMD Fir	e UG tank Capa	acity:40	00 CMD	
25.	Source of wa	ater	Local	approv	al body / P	rovision of ESF	R PMC		
			Level table:	of the (Groundwat	ter 20-30 BGI			
			h	nd no	of RWH				
					Quantity:	NA			
	Rainwater	1 J				7			
26.			Quantity and size of Recharge pits:			,	7 Size : 2m * 2m* 2m		
	(RWH)			<u>-5- Pic</u>			Residential + Commercial		
			Detail	sofII	GT tanks I				
			fany:	5 01 00	JI LAHKS I		Domestic UG tank Capacity:		
							127CMDFlushing UG tank		
							Capacity: 142CMDFire UG tank Capacity: 400CMD		
			Serve	 	aration in		ity. 40		
			MD:	ge gen	eration in				
		<u></u>							

27.	Sewage and Wastewater	STP technology	· ·	MBBR	
		Capacity of STP((CMD):	kisting & Proposed y 356 CMD	
-		Туре	Quantity	المستعلم المستعلم	Treatment/disposal
28.	Solid Waste Management during	Dry waste:			Total - 45kgs/day - Composting method
, , , , , , , , , , , , , , , , , , ,	Construction Phase	Wet waste:			Composing means
		Construction waste			Excavated earth material will be used for filling of plinth area & top soil for landscaping
		Туре	Quantity((kg/d)	Treatment/disposal
		Dry waste:	604kg/da	ıy	Handed over to authorized recycler for further handling &disposal purpose
			820 kg/da		Through Mechanical Composter (Smart OWC)
		Hazardous waste: Biomedical waste			
••• ••• ••		E-Waste	5.33kg/d	ay	Handed over to authorized recycler for further handling & disposal purpose
		STP Sludge (dry)	30 kg/da	y	To be used as manure for Gardening purpose
		Total RG area(r	n ²):		1255.84m2
30.	Green Belt	Existing trees on	plot:		NA
	Development	Number of trees t	to be plar	ited:	182Nos
		Number of trees t	to be cut:		NA difference
		Number of trees t	to be		NA
-		transplanted: Source of power	supply:		MSEDCL
		During Constru Demand Load):	uction Pha	ase	103.80 kW
		During Operation (Connected load	ion phase	<u> </u>	3632.20 kW
		During Operation (Demand load):	ion phase	;	1723.32 kW
	Power	Transformer:	• <u> </u>		630 kVA x 3 nos

_

31.	requirement: Details of Energy	DG set: DG set: (Fe No (Fe (Fe (Fe No (Fe (Fe (Fe (Fe (Fe (Fe (Fe (Fe					1 No. X 600KVA (For Residential)1 No. X 320KVA (For Commercial)1 No. X 100KVA (For E & F Building)1 No. X 25kva (For MHADA/LIG) HSD Considered 80% loading on DG set: 4 Nos. 22216.19 litre/annum	
	saving			na fa Mari	- 4 H			
33.	Environmental Management plan budget during Construction	TypeDetailsCapital CostAir & Noise a				and Water,	Total Cost perAnnum (Lakh) Rs. 17.5	
		Land Biologi Socio Econor						
		Component		Details		Capital (Rs.) in Lakh	O&M (Rs. Lakh/y)	
	Environmental Management plan	Sewage treatment		STP plant		4250000	1617834	
		Water treatment		-		NA	NA	
		RWH and Storm Water		RWH Pits and network		3,50,000	1,00,000	
34.		Swimming Pool		-			-	
	Budget during Operation phase	Solid Waste		OWC		2075000	583140	
		Hazardous waste		NA			-	
		e-waste		Authorized vendor		- 1. - 1.	-	
		Green belt development		Plantation		25,00,000	1,00,000	
		Energy saving		Solar and LED		49,55,826	3,00,000	
		Environmen	tal	Through		-	1,50,000	
		Monitoring Disaster Management		laboratory Provided		1621000	150000	
		Type Per D		CR 1		l Provided Nos.	Area per parking (m2)	
35.	Traffic	4-Wheeler	41	0		592	As per Standard	

	Management				DCR
		2-Wheeler	1467	1469	As per Standard DCR
		Bicycles			As per Standard DCR
36.	Details of Court cases/ litigations w.r. t. the projectand Project location if any.	NA			

3. <u>Proposal is an expansion of existing construction project.</u> PP has obtained earlier EC vide letter dated 15th June, 2018 for total built up area 42223 sq.mt. Proposal has been considered by SEIAA in its 248th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit Certified compliance report from RO, MoEFCC, Nagpur.

2. It is noted that, the fire NoC is for 11 floors, PP to submit the revised fire NoC & also to ensure that Fire tender shall reach the back side of Commercial Complex.

- 3. PP to submit amalgamation documents of the plot 63/2
- 4. PP to submit the conclusion of traffic impact assessment report.
- 5. PP to provide conical manhole.
- 6. PP to ensure that deciduous trees shall not be planted along the Nalla.
- 7. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.

B. SEIAA Conditions-

- PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
 - PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22 34/2018 IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI -51223.79 m2, Non FSI-27594.38 m2, Total BUA-78818.17 m2. (Plan approval No. CC/2745/21, dated-16.12.2021).

General Conditions:

a) <u>Construction Phase :-</u>

I. The solid waste generated should be properly collected and segregated. Dry/inert solid

waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be

closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

IV.

V

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
 - Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
 - The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

VII. PP to provide adequate electric charging points for electric vehicles (EVs).

VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.

IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to

assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patar (Member Secretary

Copy to:

1. Chairman, SEIAA, Mumbai.

2. Secretary, MoEF & CC, IA- Division MOEF & CC

3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.

4. Regional Office MoEF & CC, Nagpur

5. District Collector, Pune.

- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.